

BAROLO - FR


KM  
kinnamark








01




02




03




04




05




06




07




08




09



10




11



12



13



14



15




16




17



18



19




20


## BAROLO - FR

Art. nr.	101044
Composition	100% Polyester FR
Width	300 cm
Weight	313 gr./m <sup>2</sup>
Repeat (+/- 2%)	0 cm
Colorfastness to light	≥ 5 SS EN ISO 105-B02 (Scale 1-8)
Colorfastness to washing	5 SS EN ISO 105-C06 (Scale 1-5)


**OEKO-TEX®**  
CONFIDENCE IN TEXTILES  
**STANDARD 100** 

Care Instruction	
Shrinkage	1%
Certificate	Oeko -Tex Standard 100
Flame retardant according to:	B1 DIN 4102 M1 IMO
Acoustics	Measurement of sound absorption in a reverberation room: EN ISO 354:2003. Ration of sound absorption EN ISO 11654:1997 $\alpha_w = 0,70$ / Class C







21




22




23




24



25



26




27



28




29



30



31



32




33

## BAROLO - FR

Art. nr.	101044
Composition	100% Polyester FR
Width	300 cm
Weight	313 gr./m <sup>2</sup>
Repeat (+/- 2%)	0 cm
Colorfastness to light	≥ 5 SS EN ISO 105-B02 (Scale 1-8)
Colorfastness to washing	5 SS EN ISO 105-C06 (Scale 1-5)

**OEKO-TEX®**  
CONFIDENCE IN TEXTILES  
**STANDARD 100** 

Care Instruction	
Shrinkage	1%
Certificate	Oeko -Tex Standard 100
Flame retardant according to:	B1 DIN 4102 M1 IMO
Acoustics	Measurement of sound absorption in a reverberation room: EN ISO 354:2003. Ration of sound absorption EN ISO 11654:1997 $\alpha_W = 0,70$ / Class C