

STILLE - FR

KM
kinnamark





STILLE - FR (recycled)

Art. nr.	101121
Composition	51% Recycled Polyester FR / 49% Polyester FR
Width	300 cm
Weight	280 gr./m ²
Repeat (+/- 2%)	0 cm
Colorfastness to light	≥ 5 SS EN ISO 105-B02 (Scale 1-8)
Colorfastness to washing	5 SS EN ISO 105-C06 (Scale 1-5)

Care Instruction	
Shrinkage	1%
Certificate	Oeko -Tex Standard 100, GRS
Flame retardant according to:	DIN 4102-B1 EN 13773 Class 1
Aoustics	Measurement of sound absorption in a reverberation room: EN ISO 354:2003. Ration of sound absorption EN ISO 11654:1997 $\alpha_w = 0,70$ / Class B





22



23




24



26



27



28



29



31



32



33




34



35




36




37




38



39



40



41

STILLE - FR (recycled)

Art. nr.	101121
Composition	51% Recycled Polyester FR / 49% Polyester FR
Width	300 cm
Weight	280 gr./m ²
Repeat (+/- 2%)	0 cm
Colorfastness to light	≥ 5 SS EN ISO 105-B02 (Scale 1-8)
Colorfastness to washing	5 SS EN ISO 105-C06 (Scale 1-5)

Care Instruction	
Shrinkage	1%
Certificate	Oeko -Tex Standard 100, GRS
Flame retardant according to:	DIN 4102-B1 EN 13773 Class 1
Aqoustics	Measurement of sound absorption in a reverberation room: EN ISO 354:2003. Ration of sound absorption EN ISO 11654:1997 $\alpha_w = 0,70$ / Class C

